Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"5783888".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/14 17:27
L3	13	("5783888").URPN.	USPAT	OR	OFF	2005/06/14 17:27
L4	7	("3874073" | "4015154" | "4492884" | "4492889" | "4496866" | "5331730" | "5783888").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 18:24
L5	15	("6002185").URPN.	USPAT	OR	OFF	2005/06/14 18:29
L6	49	(x-ray x$3ray "x ray") and stator with (cushion$4 compress$5 elast$8 vibrat$6)	USPAT	OR	ON	2005/06/14 18:31
L7	1	("6487273").URPN.	USPAT	OR	OFF	2005/06/14 18:49
L8	18	("3334256" | "4079217" | "4355410" | "4384360" | "4811375" | "4841557" | "4884292" | "4928296" | "5056126" | "5425067" | "5515413" | "5703924" | "5802140" | "5828727" | "6075839" | "6134299" | "6252933").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 18:49
S1	141	378/131	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/12 19:33
S2	13	378/131 and (pressur$6 compress$5) with (hous$5 cover$4 wind$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:46
S3	39	378/131 and (shak$4 rattl$4 vibrat$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:03
S5	48	378/131 and (shak$4 rattl$4 vibrat$5 reverberat$4 oscillat$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:04
S6	49	378/131 and (shak$4 rattl$4 vibrat$5 reverberat$4 oscillat$5 wiggl$4 loosen$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:05
S7	3	("5265147").URPN.	USPAT	OR	OFF	2005/06/12 20:26
S8	10	("4187442" "4272696" "4276493" "4393511" "4481655" "4569070" "4573185" "4914684" "4928296" "5461659").pn.	USPAT	OR	OFF	2005/06/12 20:52

S9	54	("1772187" | "2239641" | "2434975" | "2736205" | "3084003" | "3308524" | "3467451" | "3586100" | "3740839" | "3742582" | "3751702" | "3823772" | "3834013" | "3836804" | "3913444" | "3968982" | "4098476" | "4122967" | "4140900" | "4167351" | "4253685" | "4281941" | "4325647" | "4377335" | "4461019" | "4531227" | "4569114" | "4602411" | "4635283" | "4751776" | "4848935" | "4859143" | "4866748" | "4910620" | "4969172" | "5048168" | "5056950" | "5097172" | "5218252" | "5345492" | "5379155" | "5384818" | "5490198" | "5530733" | "5609031" | "5703836" | "5730546").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/12 21:12
S10	270	(29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 wind$5) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:48
S11	658	("378"/ "131" 29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 wind$5) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:48
S12	482	("378"/ "131" 29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 envelop$4 encapsul$4 surround$4) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:01
S13	2	("378"/ "131" 29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 envelop$4 encapsul$4 surround$4) with stator and x$3ray	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:50
S14	193	("378"/ "131" 29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 envelop$4 encapsul$4 surround$4) with stator and (stator same wind$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:55

S15	110	(378/131 29/596 310/43,16-20) and (pressur$6 compress$5 resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 envelop$4 encapsul$4 surround$4) with stator and (stator same wind$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 23:12
S16	3	("5806169" "5502341" "4492889").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 23:12
S17	2	("6150747").URPN.	USPAT	OR	OFF	2005/06/12 23:15
S18	5	("378"/ "131" 29/596 310/43,16-20) and (pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same (resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with (hous$5 cover$4 envelop$4 encapsul$4 surround$4) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:04
S19	20	("378"/ "131" 29/596 310/43,16-20) and (pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same (resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:08
S20	12	(378/131 29/596 310/43,16-20) and (pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same (resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:08
S21	107	(pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same (resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:09

S22	38	(pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same (resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) same stator same (hous$5 cover$4 envelop$4 encapsul$4 surround$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:09
S23	12	(pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting") same ((resilient elastomer$4 deform$4 epoxy$4silicone epox$4 silicone adhesive) with stator with (hous$5 cover$4 envelop$4 encapsul$4 surround$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:10
S24	8	("5218252").URPN.	USPAT	OR	OFF	2005/06/13 15:19
S25	8	("4587722").URPN.	USPAT	OR	OFF	2005/06/13 15:55
S26	32	("1477773" | "1611942" | "2460063" | "2465275" | "2632861" | "3226579" | "3812392" | "4082974" | "4395205" | "4434382" | "4587722" | "4602176" | "4998865" | "5235227" | "5315200" | "5461268" | "5521447" | "5558317" | "5576584" | "5612583" | "5619389" | "5767602" | "5783892" | "5810568" | "5847476" | "5861691").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 16:04
S27	2	"3546504".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 16:04
S28	13	("3546504").URPN.	USPAT	OR	OFF	2005/06/13 16:13
S29	0	(stator with overmold$4) and (stator with (pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting"))	USPAT	OR	OFF	2005/06/13 16:14
S30	3	(stator with (over$3mold$4 "over mold" "over molded")) and (stator with (pressur$6fit$5 force$3fit$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc$4fit$5 "interference fit" "interference fitting"))	USPAT	OR	OFF	2005/06/13 16:15
S31	21	("5694268").URPN.	USPAT	OR	OFF	2005/06/13 16:17